



Great Bradfords Infant and Nursery School

Allergies in School Policy

Ratified by the Governing Board: 17th March 2025

Signed Headteacher: _____

Chair of Governors: _____

Review Date: March 2027

Great Bradfords Infant & Nursery School

Allergies in School Policy

This template policy is designed to be incorporated into/annexed to the schools wider medical conditions policy as required by the [Supporting Pupils in schools with medical conditions statutory guidance](#)

Purpose

To minimise the risk of any pupil suffering a severe allergic reaction whilst at school or attending any school related activity. To ensure staff are properly prepared to recognise and manage severe allergic reactions should they arise.

The Headteacher and SENDCO are responsible for coordinating staff anaphylaxis training and the upkeep of the school's allergies policy.

Contents

1. Introduction
2. Roles and Responsibilities
3. Allergy Action Plans
4. Emergency treatment and management of anaphylaxis
5. Supply, storage and care of medication
6. 'Spare' adrenaline auto injectors in school
7. Staff Training
8. Inclusion and safeguarding
9. Catering
10. School trips
11. Allergy awareness
12. Risk Assessment
13. Useful Links

1. Introduction

An allergy is a reaction by the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a severe systemic allergic reaction. It is at the extreme end of the allergic spectrum. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes often include foods, insect stings, or drugs.

Definition: Anaphylaxis is a severe life threatening generalised or systemic hypersensitivity reaction.

This is characterised by rapidly developing life-threatening airway / breathing / circulatory problems usually associated with skin or mucosal changes.

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but not limited to):-

Peanuts, Tree Nuts, Sesame, Milk, Egg, Fish, Latex, Insect venom, Pollen and Animal Dander.

This policy sets out how we will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

2. Role and Responsibilities

Parent responsibilities

- On entry to the school, it is the parent's responsibility to inform office staff and class teachers/SENDSCO of any allergies. This information should include all previous severe allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan ([BSACI plans](#) preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. Schools nurse/GP/allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.
- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

Staff Responsibilities

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Staff must be aware of the pupils in their care (regular or cover classes) who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.
- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.
- The SENDSCO/class first aider will ensure that the up to date Allergy Action Plan is kept with the pupil's medication.

- It is the parent's responsibility to ensure all medication is in date however the SENDCO/class first aider will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- The SENDCO keeps a register of pupils who have been prescribed an Adrenalin Auto-Injector (AAI) and a record of use of any AAI(s) and emergency treatment given.

Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.
- Due to the age of our children, they are unlikely to carry or administer their own auto-injectors. However, they should be aware of where they are stored and ensure they move with them around the school as appropriate.

3. Allergy Action Plans

Allergy action plans are designed to function as Individual Healthcare Plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto-injector.

We recommend using the British Society of Allergy and Clinical Immunology ([BSACI Allergy Action Plan](#)) to ensure continuity. This is a national plan that has been agreed by the BSACI, the Anaphylaxis Campaign and Allergy UK.

It is the parent/carer's responsibility to complete the allergy action plan with help from a healthcare professional (e.g. GP/School Nurse/Allergy Specialist) and provide this to the school.

4. Emergency Treatment and Management of Anaphylaxis

What to look for:

- swelling of the mouth or throat
- difficulty swallowing or speaking
- difficulty breathing
- sudden collapse / unconsciousness
- hives, rash anywhere on the body
- abdominal pain, nausea, vomiting
- sudden feeling of weakness
- strong feelings of impending doom

Anaphylaxis is likely if all of the following 3 things happen:

- **sudden onset** (a reaction can start within minutes) and **rapid progression of symptoms**
- **life threatening airway and/or breathing difficulties** and/or **circulation problems** (e.g. alteration in heart rate, sudden drop in blood pressure, feeling of weakness)
- **changes to the skin** e.g. flushing, urticaria (an itchy, red, swollen skin eruption showing markings like nettle rash or hives), angioedema (swelling or puffing of the deeper layers of skin and/or soft tissues, often lips, mouth, face etc.) Note: skin changes on their own are not a sign of an anaphylactic reaction, and in some cases don't occur at all

If the pupil has been **exposed to something they are known to be allergic to**, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. **Adrenaline** is the mainstay of treatment and it starts to work within seconds. Adrenaline should be administered by an **injection into the muscle** (intramuscular injection)

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

Adrenaline must be administered with the **minimum of delay** as it is more effective in preventing an allergic reaction from progressing to anaphylaxis than in reversing it once the symptoms have become severe.

ACTION:

- Stay with the child and call for help. **DO NOT MOVE CHILD OR LEAVE UNATTENDED**
- Remove trigger if possible (e.g. Insect stinger)
- Lie child flat (with or without legs elevated) – A sitting position may make breathing easier
- **USE ADRENALINE WITHOUT DELAY** and note time given. (inject at upper, outer thigh - through clothing if necessary)
- CALL **999** and state **ANAPHYLAXIS**
- If no improvement after 5 minutes, administer second adrenaline auto-injector
- If no signs of life commence CPR
- Phone parent/carer as soon as possible

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

5. Supply, storage and care of medication

Medication should be kept safely, not locked away and **accessible to all staff**.

Medication should be stored in a rigid box and clearly labelled with the pupil's name and a photograph.

The pupil's medication storage box should contain:

- adrenaline injectors i.e. EpiPen® or Jext® (two of the same type being prescribed)
- an up-to-date allergy action plan
- antihistamine as tablets or syrup (if included on plan)
- spoon if required
- asthma inhaler (if included on plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the SENDCO/class first aider will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant adrenaline auto-injectors their child is prescribed, to make sure they can get replacement devices in good time.

Storage

AAIs should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAIs are single use only and must be disposed of as sharps. Used AAIs can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins to be obtained from and disposed of by a clinical waste contractor. The sharps bin is kept in the medical room.

6. 'Spare' adrenaline auto injectors in school

We are trying to purchase a spare **adrenaline auto-injector (AAI) device for emergency use in children who are risk of anaphylaxis**, but their own devices are not available or not working (e.g. because they are out of date).

This will be stored in a rigid box, clearly labelled 'Emergency Anaphylaxis Adrenaline Pen', kept safely, not locked away and **accessible and known to all staff**.

The school will hold 1 spare pens which are kept in the following locations:

Medical room – on the shelf

The Office staff/SENDSCO will be responsible for checking the spare medication is in date on a monthly basis and to replace as needed.

Written parental permission for use of the spare AAIs will be included in the pupil's Allergy Action Plan.

If anaphylaxis is suspected **in an undiagnosed individual** call the emergency services and state you suspect ANAPHYLAXIS. Follow advice from them as to whether administration of the spare AAI is appropriate.

7. Staff Training

The Headteacher and SENCO are the staff members responsible for coordinating all staff anaphylaxis training and the upkeep of the school's anaphylaxis policy.

All staff will complete online anaphylaxis awareness training at the start of every new academic year. Training is also available on an ad-hoc basis for any new members of staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAIs) in the event of anaphylaxis – knowing how and when to administer the medication/device

- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance
Knowing who is responsible for what
- Associated conditions e.g. asthma
- Managing allergy action plans and ensuring these are up to date
- A practical session using trainer devices (these can be obtained from the manufacturers' websites www.epipen.co.uk and www.jext.co.uk)

8. Inclusion and safeguarding

We are committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

9. Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school menu is available for parents to view on our website
The School office will notify the catering staff of pupils with food allergies.

Parents/carers with children with significant allergies are encouraged to liaise with the school cook to discuss their child's needs.

The school adheres to the following [Department of Health guidance](#) recommendations:

- Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.
- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.
- Any birthday food treats should not be given by staff in school. Parents may give out food after school where parents may give their consent to their child consuming any foods.
- Foods containing nuts are discouraged from being brought in to school.
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age.

10. School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

11. Allergy awareness

The school supports the approach advocated by The Anaphylaxis Campaign and Allergy UK towards nut bans/nut free schools. They would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' is a much better approach, as it ensures teachers, pupils and all other staff aware of what allergies are, the importance of avoiding the pupils' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

12. Risk Assessment

School will conduct a detailed risk assessment to help identify any gaps in our systems and processes for keeping children with allergies safe, for all new joining pupils with allergies and any pupils newly diagnosed.

13. Useful Links

Anaphylaxis Campaign- <https://www.anaphylaxis.org.uk>

AllergyWise training for schools - <https://www.anaphylaxis.org.uk/informationtraining/allergywise-training/for-schools/>

Allergy UK - <https://www.allergyuk.org>

Education for Health <http://www.educationforhealth.org>

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016)
<https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020)
<https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>